

*Protecting Our Water Environment*



**Metropolitan Water Reclamation District of Greater Chicago**

100 EAST ERIE STREET

CHICAGO, ILLINOIS 60611-3154

312.751.5600

**BOARD OF COMMISSIONERS**

Kari K. Steele

*President*

Barbara J. McGowan

*Vice President*

Marcelino Garcia

*Chairman of Finance*

Cameron Davis

Kimberly Du Buclet

Josina Morita

Chakena D. Perry

Eira L. Corral Sepúlveda

Mariyana T. Spyropoulos

**John P. Murray, P.E.**

Director of Maintenance and Operations

312.751.5101 f: 312.751.5145

[john.murray@mwr.org](mailto:john.murray@mwr.org)

November 15, 2022

Mr. Darin E. LeCrone, P.E.  
Manager, Permit Section  
Division of Water Pollution Control  
Illinois Environmental Protection Agency  
PO Box 19276  
Springfield, IL 62794-9276

Subject: Metropolitan Water Reclamation District of Greater Chicago (District)  
National Pollutant Discharge Elimination System (NPDES) Permits  
Stickney WRP - IL0028053; Calumet WRP - IL0028061; Lemont WRP - IL0028070  
O'Brien (North Side) WRP - IL0028088; Kirie WRP - IL0047741  
Combined Sewer Overflow Quarterly Report

Dear Mr. LeCrone:

In accordance with Special Conditions (SC) 8.13, 13.13, 14.A and 14.11 of the O'Brien, Calumet, Stickney, Kirie and Lemont WRP NPDES permits, enclosed please find the CSO frequency report for the period of July 1, 2022 through September 30, 2022. Please note that the discharge volumes were estimated using a conservative method which assumes that all rainfall that falls during the period that a tide gate is open, is being discharged to the waterway. This discharge volume was then compared to two boundary conditions: (1) total area rainfall volume and (2) outfall pipe capacity. The minimum of these three values was used as the final discharge volume.

This report documents the following information for those CSOs that discharged during the above referenced quarter:

1. Date, duration, and volume of CSO discharge
2. Duration of storm and total rainfall
3. Estimate of BOD5 and SS discharged through the CSO outfalls
4. Estimate of combined sewage volume, BOD5, and SS captured at the subject WRPs

This quarterly report satisfies the CSO reporting obligation of those municipalities shown on the enclosed list.

If you have any questions, please call Ms. Ann Ko, Principal Engineer, at 312-751-6553.

Sincerely,

John P. Murray

EJS:JS:AK

Enclosures

c: Catherine Siders, IEPA - Springfield

Jay Patel, IEPA - Des Plaines

Podczerwinski/Morakalis/Desai/Dorigan/Gronski

Metropolitan Water Reclamation District of Greater Chicago  
Combined Sewer Overflow (CSO) Quarterly Report  
2022 Represented Municipalities

Village of Wilmette  
Village of Lemont  
Village of Stickney  
Village of Schiller Park  
Village of Lyons  
Village of Summit  
Village of Arlington Heights  
Village of Niles  
Village of North Riverside  
Village of Melrose Park  
Village of Forest Park  
Village of Morton Grove  
Village of River Grove  
City of Des Plaines  
Village of River Forest  
Village of La Grange  
Village of Skokie  
Village of Brookfield  
Village of Lincolnwood  
City of Evanston  
City of Park Ridge  
City of Chicago  
Village of Western Springs  
Village of Riverside  
City of Markham  
Village of Golf  
Village of Riverdale  
Calumet City  
City of Blue Island  
Village of Phoenix  
Village of South Holland  
Village of Calumet Park  
City of Harvey  
Village of Posen  
Village of La Grange Park  
Village of Lansing  
Village of Burnham  
Village of Forest View  
Village of Dolton  
Village of Dixmoor  
Village of Mount Prospect



## Metropolitan Water Reclamation District of Greater Chicago CSO Connections

<u>Owner</u>	<u>Waterway</u>	<u>Monitored or Unmonitored</u>	<u>Outfall #</u>	<u>TARP Connection</u>	<u>Representative Outfall</u>
Arlington Heights	Weller Creek	M	001	UDP-DS1 (K1)	AH001
Arlington Heights	Weller Creek	M	001	UDP-DS1A (K1A)	AH001
Blue Island	CSC	M	002	CDS-7	BI002
Blue Island	CSC	M	003	CDS-8	BI003
Blue Island	CSC	U	004	CDS-9	BI003
Blue Island / Posen	CSC	M	005 / 001	CDS-6	BI005/PO001
Brookfield	SC	M	001	DS-D37,38	BF001
Brookfield	SC	M	003	DS-D40	BF003
Brookfield	SC	M	004	DS-D39,42,46	BF004
Brookfield	SC	M	005	DS-D39,42,46	BF005
Brookfield	SC	M	006	DS-D47,50,51	BF006
Brookfield	SC	M	007	DS-D39,42,46	BF007
Brookfield	SC	M	008	DS-D62	BF008
Brookfield	SC	M	009	DS-D47,50,51	BF009
Brookfield	DPR	U	NP	DS-DA6	BF006
Burnham	GCaIR	M	001	CDS-21	BM001
Burnham	GCaIR	M	002	CDS-22	BM002
Burnham	GCaIR	M	003	CDS-23	BM003
Calumet City	GCaIR	U	001	CDS-24	BM003
Calumet City	LCaIR	M	002	CDS-53	CA002
Calumet City	LCaIR	M	003	CDS-53	CA003

## Metropolitan Water Reclamation District of Greater Chicago CSO Connections

<u>Owner</u>	<u>Waterway</u>	<u>Monitored or Unmonitored</u>	<u>Outfall #</u>	<u>TARP Connection</u>	<u>Representative Outfall</u>
Calumet City	LCalR	M	004	CDS-55	CA004
Calumet City	LCalR	M	005	CDS-55	CA005
Calumet City	LCalR	M	006	CDS-55	CA006
Calumet City	LCalR	M	007	CDS-55	CA007
Chicago	NSC	U	001	DS-M98	CG002
Chicago	NSC	M	002	DS-M97	CG002
Chicago	NSC	M	003	DS-M97	CG003
Chicago	NSC	U	004	I-95	CG003
Chicago	NSC	U	005	DS-M96	CG002
Chicago	NSC	U	006	DS-M95	CG010
Chicago	NSC	U	007	I-94	CG010
Chicago	NSC	U	008	I-93	CG010
Chicago	NSC	U	009	I-92	CG010
Chicago	NSC	M	010	TG-M94	CG010
Chicago	NSC	U	011	DS-M93	CG010
Chicago	NSC	U	012	I-91	CG010
Chicago	NSC	U	014	I-89	CG010
Chicago	NBCR	M	016	DS-N10A	CG016
Chicago	NBCR	M	017	DS-N10B	CG017
Chicago	NBCR	M	018	DS-N09	CG018
Chicago	NBCR	U	019	DS-N08	CG020



## Metropolitan Water Reclamation District of Greater Chicago CSO Connections

<u>Owner</u>	<u>Waterway</u>	<u>Monitored or Unmonitored</u>	<u>Outfall #</u>	<u>TARP Connection</u>	<u>Representative Outfall</u>
Chicago	NBCR	M	020	DS-N08	CG020
Chicago	NBCR	M	021	DS-N07	CG021
Chicago	NBCR	U	023	Indirect (DS-N04)	CG026
Chicago	NBCR	M	024	DS-N05	CG024
Chicago	NBCR	M	026	DS-N04	CG026
Chicago	NBCR	M	029	DS-N03	CG029
Chicago	NBCR	M	030	DS-N02	CG030
Chicago	NBCR	U	035	I-88	CG042
Chicago	NSC	U	038	I-116	CG010
Chicago	NSC	U	039	DS-M99	EV010
Chicago	NBCR	U	040	I-88	CG042
Chicago	NBCR	U	041	I-87	CG042
Chicago	NBCR	M	042	DS-LAT	CG042
Chicago	NBCR	U	043	I-86	MWRD107
Chicago	NBCR	U	044	I-85	CG042
Chicago	NBCR	U	046	I-82	MWRD107
Chicago	NBCR	U	047	I-83	MWRD107
Chicago	NBCR	U	048	I-81	CG057
Chicago	NBCR	U	049	I-80	CG057
Chicago	NBCR	U	050	I-79A	CG057
Chicago	NBCR	U	051	DS-M89	CG057

Metropolitan Water Reclamation District of Greater Chicago CSO Connections

<u>Owner</u>	<u>Waterway</u>	<u>Monitored or Unmonitored</u>	<u>Outfall #</u>	<u>TARP Connection</u>	<u>Representative Outfall</u>
Chicago	NBCR	U	052	I-78	CG057
Chicago	NBCR	M	057	DS-M88	CG057
Chicago	NBCR	U	058	DS-M87	CG057
Chicago	NBCR	U	059	I-77	CG057
Chicago	NBCR	U	060	Indirect (DS-M90)	CG231
Chicago	NBCR	M	061	DS-M85	CG061
Chicago	NBCR	U	062	I-76	CG061
Chicago	NBCR	M	063	DS-M84	CG063
Chicago	NBCR	M	064	DS-M82	CG064
Chicago	NBCR	M	065	TG-M81	CG065
Chicago	NBCR	M	067	DS-M80	CG067
Chicago	NBCR	M	068	DS-M79	CG068
Chicago	NBCR	U	069	DS-M78	CG070
Chicago	NBCR	M	070	DS-M79	CG070
Chicago	NBCR	U	072	DS-M77	CG073
Chicago	NBCR	M	073	DS-M76	CG073
Chicago	NBCR	M	074	DS-M75	CG074
Chicago	NBCR	U	075	I-75	CG077
Chicago	NBCR	U	076	I-75	CG077
Chicago	NBCR	M	077	DS-M73	CG077
Chicago	NBCR	U	078	I-74	CG077



## Metropolitan Water Reclamation District of Greater Chicago CSO Connections

<u>Owner</u>	<u>Waterway</u>	<u>Monitored or Unmonitored</u>	<u>Outfall #</u>	<u>TARP Connection</u>	<u>Representative Outfall</u>
Chicago	NBCR	U	079	I-73	CG077
Chicago	NBCR	U	080	I-72	CG077
Chicago	NBCR	U	081	DS-M72	CG082
Chicago	NBCR	M	082	TG-M71	CG082
Chicago	NBCR	M	083	DS-M70	CG083
Chicago	NBCR	M	084	DS-M66	CG084
Chicago	NBCR	U	085	DS-M69	CG084
Chicago	NBCR	U	086	I-71	CG083
Chicago	NBCR	U	087	I-70	CG084
Chicago	NBCR	U	088	DS-M65	CG092
Chicago	NBCR	U	090	DS-M67R	CG092
Chicago	NBCR	U	091	I-68B	CG092
Chicago	NBCR	M	092	DS-M64	CG092
Chicago	NBCR	U	093	DS-M64	CG092
Chicago	NBCR	U	094	I-68A	CG092
Chicago	NBCR	U	095	DS-M63	CG092
Chicago	NBCR	U	096	I-67	CG092
Chicago	NBCR	U	097	I-66	CG103
Chicago	NBCR	U	098	I-65(A&B)	CG103
Chicago	NBCR	U	099	I-64	CG103
Chicago	NBCR	U	100	I-63	CG103

## Metropolitan Water Reclamation District of Greater Chicago CSO Connections

<u>Owner</u>	<u>Waterway</u>	<u>Monitored or Unmonitored</u>	<u>Outfall #</u>	<u>TARP Connection</u>	<u>Representative Outfall</u>
Chicago	NBCR	U	101	I-62	CG103
Chicago	NBCR	M	103	DS-M61A	CG103
Chicago	CR	U	104	DS-M59	CG106
Chicago	CR	U	105	DS-M60	CG106
Chicago	CR	M	106	TG-M60	CG106
Chicago	CR	M	107	DS-M55	CG107
Chicago	CR	U	109	I-59	CG107
Chicago	CR	U	110	I-58	CG107
Chicago	CR	U	111	I-56	CG107
Chicago	CR	U	112	I-55	CG107
Chicago	CR	U	113	I-54	CG107
Chicago	CR	U	114	I-53	CG107
Chicago	CR	U	115	I-52	CG107
Chicago	CR	U	116	I-51	CG107
Chicago	CR	U	117	I-49 & I-50	CG107
Chicago	CR	U	118	I-48	CG107
Chicago	CR	U	119	I-47A & I-47B	CG107
Chicago	CR	U	120	I-46	CG107
Chicago	CR	M	121	DS-M54	CG121
Chicago	SBCR	U	123	I-44 & I-45	CG129
Chicago	SBCR	U	124	I-44	CG129



## Metropolitan Water Reclamation District of Greater Chicago CSO Connections

<u>Owner</u>	<u>Waterway</u>	<u>Monitored or Unmonitored</u>	<u>Outfall #</u>	<u>TARP Connection</u>	<u>Representative Outfall</u>
Chicago	SBCR	M	125	Indirect (TG-M53)	CG125
Chicago	SBCR	U	126	I-42	CG129
Chicago	SBCR	U	127	I-41	CG129
Chicago	SBCR	U	128	I-39	CG129
Chicago	SBCR	M	129	DS-M52	CG129
Chicago	SBCR	U	130	I-38	CG129
Chicago	SBCR	U	131	I-35	CG129
Chicago	SBCR	M	132	DS-M51	CG132
Chicago	SBCR	U	133	I-33	CG132
Chicago	SBCR	M	134	TG-I32	CG134
Chicago	SBCR	M	136	TG-I28 & I29	CG136
Chicago	SBCR	U	137	DS-M50	CG134
Chicago	SBCR	M	138	DS-M49	CG138
Chicago	SBCR	M	140	DS-M47	CG140
Chicago	SBCR	U	141	DS-M46	CG143
Chicago	SBCR	M	143	DS-M45	CG143
Chicago	SBCR	U	144	DS-M44	CG143
Chicago	SBCR	U	145	DS-M43	CG143
Chicago	SBCR	U	146	I-25	CG143
Chicago	SBCR	U	147	DS-M42	CG143
Chicago	SBCR	U	148	I-24	CG151

## Metropolitan Water Reclamation District of Greater Chicago CSO Connections

<u>Owner</u>	<u>Waterway</u>	<u>Monitored or Unmonitored</u>	<u>Outfall #</u>	<u>TARP Connection</u>	<u>Representative Outfall</u>
Chicago	SBCR	U	149	I-23	CG151
Chicago	SBCR	U	150	Indirect (DS-M41)	CG151
Chicago	SBCR	M	151	DS-M41	CG151
Chicago	SBCR	U	152	I-123	CG151
Chicago	SBCR	U	153	I-21	CG151
Chicago	SBCR	M	154	DS-M40	CG154
Chicago	SBCR	U	155	DS-M39	CG154
Chicago	SBCR	M	156	DS-M38	CG156
Chicago	SBCR	U	157	DS-M37	CG156
Chicago	SBCR	U	158	I-20	CG156
Chicago	SBCR	U	159	I-19	CG156
Chicago	SBCR	U	160	I-18	CG156
Chicago	SBCR	U	163	I-15	CG166
Chicago	SBCR	U	165	DS-M36	CG166
Chicago	SBCR	M	166	DS-M35	CG166
Chicago	SBCR	U	167	DS-M34	CG166
Chicago	SBCR	M	168	DS-M25	CG168
Chicago	SBCR	U	169	DS-M23	CG168
Chicago	SBCR	U	170	DS-M23	CG168
Chicago	CSSC	M	172	TG-M22	CG172
Chicago	CSSC	M	173	DS-M21	CG173



## Metropolitan Water Reclamation District of Greater Chicago CSO Connections

<u>Owner</u>	<u>Waterway</u>	<u>Monitored or Unmonitored</u>	<u>Outfall #</u>	<u>TARP Connection</u>	<u>Representative Outfall</u>
Chicago	CSSC	M	174	DS-M20	CG174
Chicago	CSSC	M	176	DS-M19	CG176
Chicago	CC	M	178	TG-I12	CG178
Chicago	CSSC	U	179	DS-M18	CG180
Chicago	CSSC	M	180	DS-M17	CG180
Chicago	CSSC	U	181	I-10	CG184
Chicago	CSSC	M	182	TG-M16	CG182
Chicago	CSSC	M	183	TG-I9	CG183
Chicago	CSSC	M	184	TG-I8	CG184
Chicago	CSSC	M	185	DS-M15	CG185
Chicago	CSSC	M	186	TG-I5	CG186
Chicago	CSSC	M	187	DS-M12	CG187
Chicago	CSSC	M	188	DS-M08	CG188
Chicago	CSSC	M	189	TG-NASH	CG189
Chicago	SFSBCR	U	190	DS-M33	CG194
Chicago	SFSBCR	U	191	DS-M32	CG194
Chicago	SFSBCR	U	192	DS-M31	CG194
Chicago	SFSBCR	U	193	DS-M31	CG194
Chicago	SFSBCR	M	194	DS-M30	CG194
Chicago	SFSBCR	U	195	I-119	CG194
Chicago	SFSBCR	U	196	I-117	CG198

## Metropolitan Water Reclamation District of Greater Chicago CSO Connections

<u>Owner</u>	<u>Waterway</u>	<u>Monitored or Unmonitored</u>	<u>Outfall #</u>	<u>TARP Connection</u>	<u>Representative Outfall</u>
Chicago	SFSBCR	M	198	DS-M26	CG198
Chicago	CaIR	M	206	CDS-20	CG206
Chicago	LCaIR	U	209	CI-9	CG239
Chicago	LCaIR	M	210	CDS-15-5	CG210
Chicago	LCaIR	M	211	CDS-14	CG211
Chicago	LCaIR	U	214	CI-8	RV002
Chicago	LCaIR	U	215	CI-7	RV002
Chicago	LCaIR	U	216	CI-6	RV002
Chicago	DPR	M	226	DS-D10	CG226
Chicago	DPR	M	227	DS-D11	CG227
Chicago	NBCR	U	230	DS-M67R	CG092
Chicago	NBCR	M	231	DS-M86	CG231
Chicago	NSC	U	233	DS-M92	CG010
Chicago	NBCR	M	234	DS-N06	CG234
Chicago	NBCR	U	235	DS-N01	CG030
Chicago	NBCR	U	237	I-67	CG092
Chicago	NBCR	M	238	DS-M83	CG238
Chicago	LCaIR	M	239	CDS-16	CG239
Chicago	LCaIR	M	241	CDS-12	CG241
Chicago / Calumet Park	CSC	M	218/001	CDS-10	CG218
Chicago / Niles	NBCR	U	NP	DS-N15	NI003



## Metropolitan Water Reclamation District of Greater Chicago CSO Connections

<u>Owner</u>	<u>Waterway</u>	<u>Monitored or Unmonitored</u>	<u>Outfall #</u>	<u>TARP Connection</u>	<u>Representative Outfall</u>
Des Plaines	DPR	M	001	DS-D01	DP001
Des Plaines	DPR	U	002	DS-D02	PR005
Des Plaines	DPR	U	003	DS-D02	PR005
Des Plaines	DPR	U	004	DS-D03R	DP005
Des Plaines	DPR	M	005	DS-D03R	DP005
Des Plaines	DPR	U	006	None	
Des Plaines	Weller Creek	M	007	Indirect (UDP-DS5) (K27)	DP007
Dixmoor	LCaIR	M	001	CDS-39	DM001
Dolton	LCaIR	M	001	CDS-17	DT001
Dolton	LCaIR	M	002	CDS-18	DT002
Dolton	LCaIR	M	003	CDS-51	DT003
Evanston	NSC	U	003	I-109	MWRD102
Evanston	NSC	U	004	DS-M110	MWRD102
Evanston	NSC	U	005	DS-M106W	EVA07 (DS-M107-2)
Evanston	NSC	U	006	DS-M107-2	SK003 (DS-M107-1)
Evanston	NSC	M	009	TG-M105E	EV009
Evanston	NSC	M	010	DS-M104E	EV010
Evanston	NSC	U	011	DS-M103	SK005 (DS-M104W)
Evanston	NSC	U	012	DS-M102	SK005 (DS-M104W)
Evanston	NSC	U	013	DS-M101	EVA13
Evanston	NSC	M	A04	DS-M109S	EVA04

## Metropolitan Water Reclamation District of Greater Chicago CSO Connections

<u>Owner</u>	<u>Waterway</u>	<u>Monitored or Unmonitored</u>	<u>Outfall #</u>	<u>TARP Connection</u>	<u>Representative Outfall</u>
Evanston	NSC	U	A06	DS-M108	SK003 (DS-M107-1)
Evanston	NSC	M	A07	DS-M107-2	EVA07
Evanston	NSC	U	A08	DS-M106E	SK002 (DS-M105W)
Evanston	NSC	U	A10	DS-M104E	EV010
Evanston	NSC	M	A13	DS-M101	EVA13
Evanston	NSC	U	NP	I-108	MWRD102
Forest Park	DPR	M	001	DS-D30,28	FP001
Forest Park	DPR	M	002	DS-D28	FP002
Forest View	CSSC	U	001	DS-M07	CG189
Franklin Park	DPR	M	001	DS-D13	FK001
Franklin Park	DPR	U	003	DS-D14	FK004
Franklin Park	DPR	M	004	DS-D14	FK004
Golf	WF-NBCR	U	001	Indirect (DS-N20)	MG002
Harvey	LCaIR	M	001	CDS-41	HV001
Harvey	LCaIR	M	002	CDS-41	HV002
Harvey	LCaIR	M	003	CDS-42	HV003
Harvey	LCaIR	M	004	CDS-43	HV004
Harvey	LCaIR	M	005	CDS-43	HV005
Harvey	LCaIR	M	006	CDS-45	HV006
Harvey	LCaIR	M	007	CDS-45	HV007
LaGrange	SC	M	001	DS-D47,50,51 & DS-13A-LG001	



## Metropolitan Water Reclamation District of Greater Chicago CSO Connections

<u>Owner</u>	<u>Waterway</u>	<u>Monitored or Unmonitored</u>	<u>Outfall #</u>	<u>TARP Connection</u>	<u>Representative Outfall</u>
LaGrange Park	SC	U	001	DS-13A-53	LP003
LaGrange Park	SC	U	002	DS-13A-53	LP003
LaGrange Park	SC	M	003	DS-D37,38	LP003
LaGrange Park	SC	U	004	DS-13A-54	LP003
LaGrange Park	SC	U	005	DS-13A-54	LP003
LaGrange Park	SC	U	006	DS-13A-54	LP003
Lansing / Calumet City	LCaIR	M	002 / 005	CDS-55	LS002
Lemont	I&M Canal	U	002	None	
Lemont	CSSC	U	003	None	
Lincolnwood	NSC	U	002	I-96	CG003
Lyons	DPR	M	001	DS-D49	LY001
Lyons	DPR	M	002	DS-D48	LY002
Lyons	DPR	M	003	DS-13A-4 (TG137)	LY003
Markham	CUDD	M	001	CDS-57	MH001
Maywood	DPR	M	001	DS-D22,24,25	MW002
Maywood	DPR	M	002	DS-D22,24,25	MW002
Maywood	DPR	M	003	DS-D21,25	MW003
Maywood	DPR	M	004	DS-D27I	MW004
Maywood	DPR	M	005	DS-D27I	MW005
Maywood	DPR	M	006	DS-D31	MW006
Maywood	DPR	M	007	DS-D32	MW007

## Metropolitan Water Reclamation District of Greater Chicago CSO Connections

<u>Owner</u>	<u>Waterway</u>	<u>Monitored or Unmonitored</u>	<u>Outfall #</u>	<u>TARP Connection</u>	<u>Representative Outfall</u>
Maywood	DPR	M	008	DS-D33	MW008
Maywood	DPR	M	NP	DS-D22,24,25	MW NP (DS-D22, 24, 25)
Maywood	DPR	M	NP	DS-D21,25	MW NP (DS-D21,25)
Maywood	DPR	M	NP	DS-D21,25	MW NP (DS-D21, 25)
Maywood	DPR	M	NP	DS-D27I	MW NP (DS-D27I)
Maywood	DPR	M	NP	DS-D31	MW NP (DS-D31)
Melrose Park	DPR	M	001	DS-D52	MP001
Methodist Campground	DPR	U	NP	DS-D02	PR005
Morton Grove	NBCR	U	001	DS-N20	MG002
Morton Grove	NBCR	M	002	DS-N19	MG002
Mt. Prospect	Weller Creek	M	001	UDP-DS3 (K11)	MP001
Mt. Prospect	Weller Creek	M	002	UDP-DS3 (K14)	MP002
Mt. Prospect	Weller Creek	M	003	UDP-DS4 (K20)	MP003
Mt. Prospect	Weller Creek	M	004	UDP-DS6 (K22)	MP004
Mt. Prospect	Feehanville Ditch	M	005	UDP-DS8 (K25-1&K25-2)	MP005
Mt. Prospect	Feehanville Ditch	M	006	UDP-DS8 (K26)	MP006
Mt. Prospect	Weller Creek	M	NP	None (K3)	MP None (K3)
MWRD	CSSC	M	002	None	MWRD002
MWRD	LCaIR	M	004	TARP Outfall	MWRD004
MWRD	CSC	M	006	Indirect	
MWRD	CSC	M	007	Indirect	



## Metropolitan Water Reclamation District of Greater Chicago CSO Connections

<u>Owner</u>	<u>Waterway</u>	<u>Monitored or Unmonitored</u>	<u>Outfall #</u>	<u>TARP Connection</u>	<u>Representative Outfall</u>
MWRD	North Creek	U*	010	see note below	
MWRD	NSC	M	101	DS-M114N	MWRD101
MWRD	NSC	M	102	DS-M109N	MWRD102
MWRD	NSC	U	103	DS-M108	SK003 (DS-M107-1)
MWRD	NSC	M	104	DS-M106E	MWRD104
MWRD	NSC	M	105	DS-M100	MWRD105
MWRD	NBCR	M	107	DS-M90 & DS-M91 (NBP	MWRD107
MWRD	DPR	U	109	Indirect (DS-D03R)	DP001
MWRD	NSC	U	110	I-102	SK005 (DS-M104W)
MWRD	Weller Creek	M	111	UDP-DS1 (K2-1&K2-2)	MWRD111
MWRD	DPR	M	131	DS-D07	MWRD131
MWRD	DPR	M	132	DS-D08	MWRD132
MWRD	DPR	M	133	DS-D09	MWRD133
MWRD	DPR	M	134	DS-D19,23	MWRD134
MWRD	DPR	M	135	DS-D63	MWRD135
MWRD	DPR	U	136	DS-D34-DI	MW008
MWRD	SFSBCR	M	142	DS-M27,DS-M28,& DS-MM	MWRD142
MWRD	CSSC	M	143	DS-M13	MWRD143
MWRD	CSSC	M	144	DS-M10	MWRD144
MWRD	CSSC	M	145	DS-M09	MWRD145
MWRD	CSSC	M	146	TG-13A	MWRD146

## Metropolitan Water Reclamation District of Greater Chicago CSO Connections

<u>Owner</u>	<u>Waterway</u>	<u>Monitored or Unmonitored</u>	<u>Outfall #</u>	<u>TARP Connection</u>	<u>Representative Outfall</u>
MWRD	CSSC	M	147	DS-M03	MWRD147
MWRD	CSSC	U	148	DS-M01	MWRD147
MWRD	CSSC	U	149	DS-M02	MWRD147
MWRD	Addison Creek	M	150	DS-D34-AI	MWRD150
MWRD	CaIR	M	151	cds34	MWRD151
MWRD	CaIR	M	152	CDS-28	MWRD152
MWRD	LCaIR	M	153	CDS-13	MWRD153
MWRD	CSC	M	154	CDS-11	MWRD154
MWRD	CSC	M	157	CDS-2	MWRD157
MWRD	CSC	M	158	18E PS	MWRD158
MWRD	CSC	U*	160	Indirect	
MWRD	CSC	M	163	CDS-4	MWRD163
MWRD / Blue Island	CSC	M	156 / 001	CDS-5	MWRD156
MWRD / Lincolnwood	NSC	U	106 / 001	I-97	CG003
Niles	NBCR	M	001	DS-N18	NI001
Niles	NBCR	M	002	DS-N17	NI002
Niles	NBCR	M	003	DS-N16	NI003
Niles	NBCR	U	006	DS-N15	NI003
Niles	NBCR	U	007	DS-N15	NI003
Niles	NBCR	M	009	DS-N11	NI090
Niles	NBCR	M	010	DS-N12	NI010

\*CSO monitored by field staff



## Metropolitan Water Reclamation District of Greater Chicago CSO Connections

<u>Owner</u>	<u>Waterway</u>	<u>Monitored or Unmonitored</u>	<u>Outfall #</u>	<u>TARP Connection</u>	<u>Representative Outfall</u>
Niles	NBCR	U	NP	Indirect (DS-N16)	NI003
Niles / Chicago	NBCR	M	008 / 236	DS-N13R	CG236
North Riverside	DPR	M	001	DS-D36	NR001
North Riverside	DPR	M	002	DS-D35	NR002
Park Ridge	DPR	M	002	DS-D05	PR002
Park Ridge	DPR	M	003	DS-D06	PR003
Park Ridge	DPR	M	004	DS-D07	PR004
Park Ridge	DPR	M	005	DS-D02	PR005
Park Ridge	DPR	M	006	DS-D05	PR006
Park Ridge	DPR	M	007	DS-D06	PR007
Park Ridge	DPR	M	008	DS-D07	PR008
Phoenix	LCaIR	M	001	CDS-45	PO001
River Forest	DPR	M	003	DS-D26	RF003
River Forest	DPR	M	004	DS-D29,64	RF004
River Grove	DPR	M	002	DS-D16	RG002
River Grove	DPR	M	003	DS-D17	RG003
River Grove	DPR	M	004	DS-D17	RG004
River Grove	DPR	M	005	DS-D18	RG005
River Grove	DPR	M	006	DS-D20I	RG006
River Grove / Franklin Park	DPR	M	001 / 002	DS-D15	FK002
Riverdale	LCaIR	M	002	CDS-15-1	RV002

## Metropolitan Water Reclamation District of Greater Chicago CSO Connections

<u>Owner</u>	<u>Waterway</u>	<u>Monitored or Unmonitored</u>	<u>Outfall #</u>	<u>TARP Connection</u>	<u>Representative Outfall</u>
Riverdale	LCaIR	M	003	CDS-15-2	RV003
Riverdale	LCaIR	M	004	CDS-42	RV004
Riverdale	LCaIR	M	005	CDS-15-4	RV005
Riverdale	LCaIR	U	NP	CDS-15	RV003
Riverdale	LCaIR	M	NP	CDS-15-3	RV NP (CDS-15-3)
Riverside	DPR	U	007	None	
Riverside	DPR	M	010	DS-D44,45	RS010
Riverside	DPR	M	011	DS-D44,45	RS011
Riverside	DPR	M	012	DS-D41	RS012
Riverside	DPR	M	013	DS-D66	RS013
Riverside	DPR	M	NP	DS-D44,45	RS NP (DS-D44, 45)
Riverside	DPR	U	NP	None	
Robbins	CSC	U	NP	CI-3	BI005/PO001
Robbins	CSC	U	NP	CI-2	BI005/PO001
Robbins	CSC	U	NP	CI-1	BI005/PO001
Schiller Park	DPR	M	001	DS-D12I	SL001
Skokie	NSC	U	001	I-99	EV010
Skokie	NSC	M	002	DS-M105W	SK002
Skokie	NSC	M	003	DS-M107-1	SK003
Skokie	NSC	U	004	I-104	SK002 (DS-M105W)
Skokie	NSC	M	005	DS-M104W	SK005 (DS-M104W)



## Metropolitan Water Reclamation District of Greater Chicago CSO Connections

<u>Owner</u>	<u>Waterway</u>	<u>Monitored or Unmonitored</u>	<u>Outfall #</u>	<u>TARP Connection</u>	<u>Representative Outfall</u>
Skokie	NSC	U	NP	DS-M100	EV010
South Holland	LCaIR	M	001	CDS-C-1	SH001
South Holland	LCaIR	M	002	CDS-C-1	SH002
South Holland	LCaIR	M	003	CDS-48	SH003
South Holland	LCaIR	M	004	CDS-45	SH004
South Holland	LCaIR	M	005	Indirect (CDS-47)	SH003
South Holland	CUDD	U	NP	Indirect (CDS-47)	MH001
South Holland	LCaIR	M	NP	CDS-45	SH NP (CDS-45)
Stickney	CSSC	M	001	DS-M09	ST001
Summit	CSSC	U	001	DS-M5B	MWRD146
Summit	CSSC	M	002	TG-M05	SU002
Summit	CSSC	U	003	Indirect (DS-M03)	MWRD147
Western Springs	SC	U	001	DS-13A-55	LP003
Western Springs	SC	U	002	DS-13A-56	LP003
Wilmette	NSC	M	001	DS-M114N-2	WM001
Wilmette	NSC	U	002	DS-M113	MWRD101

July 2022 O'BRIEN (NORTH SIDE) WRP CSO EVENTS & VOLUME ESTIMATES																
Overflow Data				Storm Information					Total Volume (gal)							
DS #	TG #	Start Date & Time	Stop Date & Time	Duration (min)	Start Date & Time	Stop Date & Time	Estimated Storm Duration (min)	Total Rainfall-North (inches)	Area (Acres)	MONITORED OUTFALL MAXIMUM DISCHARGE (CFS)	Rational Equation	Rain Calc	Pipe Capacity Calc	ESTIMATED VOLUME WITH BOUNDARY CONDITIONS	BOD (Lbs)	SS (Lbs)
NO CSOs																



July 2022 STICKNEY WRP CSO EVENTS & VOLUME ESTIMATES

		Overflow Data			Storm Information				Total Volume (gal)							
DS #	TG #	Start Date & Time	Stop Date & Time	Duration (min)	Start Date & Time	Stop Date & Time	Estimated Storm Duration (min)	Total Rainfall (inches)	Area	MONITORED OUTFALL MAXIMUM DISCHARGE (CFS)	Rational Equation	Rain Calc	Pipe Capacity Calc	ESTIMATED VOLUME WITH BOUNDARY CONDITIONS	BOD (Lbs)	SS (Lbs)
WCPS	ALL	07/05/2022 01:32:00	07/05/2022 04:17:00	165.00										494,100	276	1,647
WCPS	ALL	07/23/2022 06:00:00	07/23/2022 12:10:00	370.00										882,900	493	2,942
TOTAL											0	0	0	1,377,000	768	4,589

July 2022 CALUMET WRP CSO EVENTS & VOLUME ESTIMATES																
Overflow Data					Storm Information											
DS #	TG #	Start Date & Time	Stop Date & Time	Duration (min)	Start Date & Time	Stop Date & Time	Estimated Storm Duration (min)	Total Rainfall (inches)	Area (Acres)	MONITORED OUTFALL MAXIMUM DISCHARGE (CFS)	Rational Equation	Rain Calc	Pipe Capacity Calc	ESTIMATED VOLUME WITH BOUNDARY CONDITIONS	BOD (Lbs)	SS (Lbs)
NO CSOs																



August 2022 O'BRIEN (NORTH SIDE) WRP CSO EVENTS & VOLUME ESTIMATES

Overflow Data		Storm Information							MONITORED OUTFALL MAXIMUM DISCHARGE			ESTIMATED VOLUME WITH BOUNDARY CONDITIONS		
DS #	TG #	Start Date & Time	Stop Date & Time	Duration (min)	Start Date & Time	Stop Date & Time	Estimated Storm Duration (min)	Total Rainfall-North (inches)	Area (Acres)	Rational Equation	Rain Calc	Pipe Capacity Calc	BOD (Lbs)	SS (Lbs)
NO CSOs														
TOTAL												0	0	0

August 2022 STICKNEY WRP CSO EVENTS & VOLUME ESTIMATES																
Overflow Data					Storm Information											
DS #	TG #	Start Date & Time	Stop Date & Time	Duration (min)	Start Date & Time	Stop Date & Time	Estimated Storm Duration (min)	Total Rainfall (inches)	Area (Acres)	MONITORED OUTFALL MAXIMUM DISCHARGE (CFS)	Rational Equation	Rain Calc	Pipe Capacity Calc	ESTIMATED VOLUME WITH BOUNDARY CONDITIONS	BOD (Lbs)	SS (Lbs)
NO CSOs																

August 2022 CALUMET WRP CSO EVENTS & VOLUME ESTIMATES																
Overflow Data					Storm Information											
DS #	TG #	Start Date & Time	Stop Date & Time	Duration (min)	Start Date & Time	Stop Date & Time	Estimated Storm Duration (min)	Total Rainfall (inches)	Area (Acres)	MONITORED OUTFALL MAXIMUM DISCHARGE (CFS)	Rational Equation	Rain Calc	Pipe Capacity Calc	ESTIMATED VOLUME WITH BOUNDARY CONDITIONS	BOD (Lbs)	SS (Lbs)
NO CSOs																



September 2022 O'BRIEN (NORTH SIDE) WRP CSO EVENTS & VOLUME ESTIMATES

Overflow Data		Storm Information														
DS #	TG #	Start Date & Time	Stop Date & Time	Duration (min)	Start Date & Time	Stop Date & Time	Estimated Storm Duration (min)	Total Rainfall-North (inches)	Area (Acres)	MONITORED OUTFALL MAXIMUM DISCHARGE (CFS)	Rational Equation	Rain Calc	Pipe Capacity Calc	ESTIMATED VOLUME WITH BOUNDARY CONDITIONS	BOD (Lbs)	SS (Lbs)
NO CSOs																

September 2022 STICKNEY WRP CSO EVENTS & VOLUME ESTIMATES

		Overflow Data			Storm Information											
DS #	TG #	Start Date & Time	Stop Date & Time	Duration (min)	Start Date & Time	Stop Date & Time	Estimated Storm Duration (min)	Total Rainfall (inches)	Area (Acres)	MONITORED OUTFALL MAXIMUM DISCHARGE (CFS)	Rational Equation	Rain Calc	Pipe Capacity Calc	ESTIMATED VOLUME WITH BOUNDARY CONDITIONS	BOD (Lbs)	SS (Lbs)
DSD44	TG1	09/11/2022 09:58:25	09/11/2022 10:04:23	5.97	09/11/2022 07:40:00	09/13/2022 02:25:00	2565.00	2.02	166	41.00	21,181	9,105,395	109,806	21,181	12	71
WCPS	ALL	09/11/2022 08:45:00	09/11/2022 19:30:00	645.00										928,000	518	3,092
<b>TOTAL</b>														<b>949,181</b>	<b>530</b>	<b>3,163</b>

September 2022 CALUMET WRP CSO EVENTS & VOLUME ESTIMATES

		Overflow Data			Storm Information											
DS #	TG #	Start Date & Time	Stop Date & Time	Duration (min)	Start Date & Time	Stop Date & Time	Estimated Storm Duration (min)	Total Rainfall (inches)	Area (Acres)	MONITORED OUTFALL MAXIMUM DISCHARGE (CFS)	Rational Equation	Rain Calc	Pipe Capacity Calc	ESTIMATED VOLUME WITH BOUNDARY CONDITIONS	BOD (Lbs)	SS (Lbs)
NO CSOs																



July-September 2022 KIRIE WRP CSO EVENTS & VOLUME ESTIMATES

		Overflow Data			Storm Information											
DS #	TG #	Start Date & Time	Stop Date & Time	Duration (min)	Start Date & Time	Stop Date & Time	Estimated Storm Duration (min)	Total Rainfall (inches)	Area (Acres)	MONITORED OUTFALL MAXIMUM DISCHARGE (CFS)	Rational Equation	Rain Calc	Pipe Capacity Calc	ESTIMATED VOLUME WITH BOUNDARY CONDITIONS	BOD (Lbs)	SS (Lbs)
NO CSOs																
TOTAL														0.00	0.00	0.00

July-September 2022 LEMONT WRP CSO EVENTS & VOLUME ESTIMATES

Overflow Data		Storm Information														
DS #	TG #	Start Date & Time	Stop Date & Time	Duration (min)	Start Date & Time	Stop Date & Time	Estimated Storm Duration (min)	Total Rainfall (inches)	Area (Acres)	MONITORED OUTFALL MAXIMUM DISCHARGE (CFS)	Rational Equation	Rain Calc	Pipe Capacity Calc	ESTIMATED VOLUME WITH BOUNDARY CONDITIONS	BOD (Lbs)	SS (Lbs)
NO CSOs																



SUMMARY: TOTAL CSO VOLUME ESTIMATE, July 2022 - September 2022				
Month	Est CSO Volume (Gallons)	Est CSO Volume (MG)	BOD5 (Lbs)	SS (Lbs)
July	1,377,000	1.377	768	4,589
August	0	0	0	0
September	949,181	0.949180795	530	3,163
<b>TOTAL</b>	<b>2,326,181</b>	<b>2.33</b>	<b>1,298</b>	<b>7,752</b>

RAINFALL SUMMARY: July 2022 - September 2022

Start Date	Start Time	Stop Date	Stop Time	Duration (hr:min)	Total Rainfall Average (in)
7/4/2022	3:05 PM	7/5/2022	7:00 AM	15:55	0.94
7/5/2022	9:35 PM	7/6/2022	10:00 AM	12:25	0.41
7/15/2022	7:00 AM	7/15/2022	10:30 PM	15:30	0.73
7/17/2022	2:30 AM	7/17/2022	8:40 PM	18:10	0.48
7/23/2022	12:00 AM	7/24/2022	5:45 PM	41:45	1.51
7/27/2022	2:04 PM	7/27/2022	6:14 PM	4:10	0.49
8/7/2022	5:00 AM	8/8/2022	7:23 PM	38:23	0.66
8/20/2022	3:20 AM	8/21/2022	2:00 AM	22:40	0.53
8/29/2022	1:00 PM	8/29/2022	8:50 PM	7:50	0.40
9/11/2022	7:40 AM	9/13/2022	2:25 AM	42:45	1.97
9/18/2022	11:30 PM	9/19/2022	5:15 AM	5:45	0.28



Mainstream July-September 2022				
Month	Est CSO Volume (Gallons)	Est CSO Volume (MG)	BOD5 (Lbs)	SS (Lbs)
July	1,377,000	1.377	768	4,589
August	0	0	0	0
September	949,181	0.94918	530	3,163
<b>TOTAL</b>	<b>2,326,181</b>	<b>2</b>	<b>1,298</b>	<b>7,752</b>

Calumet July-September 2022				
Month	Est CSO Volume (Gallons)	Est CSO Volume (MG)	BOD5 (Lbs)	SS (Lbs)
July	0	0	0	0
August	0	0	0	0
September	0	0	0	0
<b>TOTAL</b>	<b>0</b>	<b>0</b>	<b>0</b>	<b>0</b>

Upper Des Plaines July-September 2022				
Month	Est CSO Volume (Gallons)	Est CSO Volume (MG)	BOD5 (Lbs)	SS (Lbs)
July	0	0	0	0
August	0	0	0	0
September	0	0	0	0
<b>TOTAL</b>	<b>0</b>	<b>0</b>	<b>0</b>	<b>0</b>

**MONTHLY PLANT CAPTURE - 3RD QTR 2022**

	Flow (MG)			BOD (lbs)			SS (lbs)	
	July	August	September	July	August	September	July	August
O'Brien	6,138	5,239	5,670	3,992,892	7,690,014	4,681,492	7,064,347	7,995,867
Stickney	24,366	17,732	20,370	30,420,902	27,965,031	32,023,473	50,295,079	43,285,904
Calumet	7,967	6,882	5,790	15,548,079	11,249,592	16,901,010	19,933,434	10,503,446
Kirie	1,116	908	1,041	1,600,880	992,354	1,788,480	1,545,035	999,929
Lemont	81	71	63	131,752	99,305	64,101	278,292	117,144
<b>TOTAL:</b>	<b>39,668</b>	<b>30,833</b>	<b>32,934</b>	<b>51,694,504</b>	<b>47,996,296</b>	<b>55,458,556</b>	<b>79,116,187</b>	<b>62,902,291</b>

September
4,255,902
58,066,966
16,418,124
1,163,380
97,203
<b>80,001,575</b>



plant	month	days	FLOW (MGD)	month total flow (MG)	BOD (mg/L)			SS (mg/L)		
					infl	eff	capture (lbs)	infl	eff	capture (lbs)
<b><u>O'Brien</u></b>	July	31	198	6,138	83	5	3,992,892	142	4	7,064,347
	August	31	169	5,239	182	6	7,690,014	186	3	7,995,867
	September	30	189	5,670	103	4	4,681,492	93.0	3	4,255,902
<b><u>Stickney</u></b>	July	31	786	24,366	155.7	6	30,420,902	254.5	7	50,295,079
	August	31	572	17,732	194.1	5	27,965,031	296.7	4	43,285,904
	September	30	679	20,370	193.5	5	32,023,473	345.8	4	58,066,966
<b><u>Calumet</u></b>	July	31	257	7,967	243	9	15,548,079	304	4	19,933,434
	August	31	222	6,882	204	8	11,249,592	187	4	10,503,446
	September	30	193	5,790	358	8	16,901,010	344	4	16,418,124
<b><u>Kirie</u></b>	July	31	36.0	1,116	174	2	1,600,880	168	2	1,545,035
	August	31	29.3	908	134	3	992,354	134	2	999,929
	September	30	34.7	1,041	208	2	1,788,480	136	2	1,163,380
<b><u>Lemont</u></b>	July	31	2.6	81	202	6	131,752	421	7	278,292
	August	31	2.3	71	173	6	99,305	204	7	117,144
	September	30	2.1	63	130	8	64,101	192	7	97,203