

Protecting Our Water Environment



Metropolitan Water Reclamation District of Greater Chicago

***MONITORING AND RESEARCH
DEPARTMENT***

REPORT NO. 25-17

HANOVER PARK WATER RECLAMATION PLANT

FISCHER FARM MONITORING REPORT

FOR FIRST QUARTER 2025:

SPECIAL CONDITION 4

May 2025

Protecting Our Water Environment



Metropolitan Water Reclamation District of Greater Chicago

CECIL LUE-HING RESEARCH AND DEVELOPMENT COMPLEX
6001 WEST PERSHING ROAD CICERO, ILLINOIS 60804-4112

BOARD OF COMMISSIONERS

Kari K. Steele
President
Patricia Theresa Flynn
Vice President
Marcelino García
Chairman of Finance
Precious Brady-Davis
Yumeka Brown
Cameron Davis
Beth McElroy Kirkwood
Eira L. Corral Sepúlveda
Sharon Waller

April 21, 2025

Mr. Caleb Ruyle
Illinois Environmental Protection Agency
Bureau of Water
DWPC Compliance Section #19
2520 W. Iles Ave
P.O. Box 19276
Springfield, Illinois 62794-9276

Dear Mr. Ruyle:

Subject: Hanover Park Water Reclamation Plant – Illinois Environmental Protection Agency Permit No. 2022-SC-66896, Special Condition 4 Monitoring Report for January, February, and March 2025 – Discharge Monitoring Report (DMR)

This Discharge Monitoring Report (DMR) is to report analyses of biosolids applied to the Hanover Park Water Reclamation Plant (WRP) Fischer Farm site for January, February, and March 2025, as required by Illinois Environmental Protection Agency (IEPA) Operating Permit No. 2022-SC-66896, Special Condition 4. We are currently unable to submit this report to the NetDMR system as directed in Special Condition 4, as an updated permit number that is required for the NetDMR submission system is still not available.

No lagoon supernatant or liquid biosolids were applied to the Hanover Park WRP Fischer Farm site during January, February, or March 2025; therefore, there is no analytical data to report.

Very truly yours,

Albert E. Cox, Ph.D.
Environmental Monitoring and Research Manager
Monitoring and Research Department

AC:lf

cc: Mr. T. Bennett, IEPA
Mr. B. Fleming, IEPA
Mr. K. Middleton, USEPA, Region 5
Mr. J. Chavich
Mr. B. Kaunelis
Mr. P. Desai
Dr. H. Zhang

Metropolitan Water Reclamation District of Greater Chicago

100 East Erie Street Chicago, Illinois 60611-2803 (312) 751-5600

**HANOVER PARK WATER RECLAMATION PLANT
FISCHER FARM MONITORING REPORT
FOR FIRST QUARTER 2025:
SPECIAL CONDITION 4**

By

**Benjamin Morgan
Environmental Soil Scientist**

**Albert Cox
Environmental Monitoring and Research Manager**

Paperwork Reduction Act Notice

Public reporting burden for this collection of information is estimated to vary from a range of 10 hours as an average per response for some minor facilities, to 110 hours as an average per response for some major facilities, with a weighted average for major and minor facilities of 18 hours per response, including time for reviewing instructions, searching existing data sources, gathering and maintaining the data needed, and completing and reviewing the collection of information. Send comments regarding the burden estimate or any other aspect of this collection of information, including strategies for reducing this burden, to Chief, Information Policy Branch, PM-223, U.S. Environmental Protection Agency, 401 M Street, SW, Washington, DC 20460; and to the Office of Information and Regulatory Affairs, Office of Management and Budget, Washington, DC 20503.

General Instructions

1. If form has been partially completed by preprinting, disregard instructions directed at entry of that information already preprinted.
2. Enter "*Permittee Name/Mailing Address* (and facility name/location, if different)," "Permit Number," and "Discharge Number" where indicated. (A separate form is required for each discharge.)
3. Enter dates beginning and ending "*Monitoring Period*" covered by form where indicated.
4. Enter each "*Parameter*" as specified in monitoring requirements of permit.
5. Enter "*Sample Measurement*" data for each parameter under "*Quantity*" and "*Quality*" in units specified in permit. "*Average*" is normally arithmetic average (geometric average for bacterial parameters) of all sample measurements for each parameter obtained during "*Monitoring Period*"; "*Maximum*" and "*Minimum*" are normally extreme high and low measurements obtained during "*Monitoring Period*." (Note to municipals with secondary treatment requirement: Enter 30-day average of sample measurements under "*Average*," and enter maximum 7-day average of sample measurements obtained during monitoring period under "*Maximum*.")
6. Enter "*Permit Requirement*" for each parameter under "*Quantity*" and "*Quality*" as specified in permit.
7. Under "*No Ex*" enter number of sample measurements during monitoring period that exceed maximum (and/or minimum or 7-day average as appropriate) permit requirement for each parameter. If none, enter "0."
8. Enter "*Frequency of Analysis*" both as "*Sample Measurement*" (actual frequency of sampling and analysis used during monitoring period) and as "*Permit Requirement*" specified in permit. (e.g., Enter "*Cont*," for continuous monitoring, "*1/7*" for one day per week, "*1/30*" for one day per month, "*1/90*" for one day per quarter, etc.)
9. Enter "*Sample Type*" both as "*Sample Measurement*" (actual sample type used during monitoring period) and as "*Permit Requirement*," (e.g., Enter "*Grab*" for individual sample, "*24HC*" for 24-hour composite, "*N/A*" for continuous monitoring, etc.)
10. Where violations of permit requirements are reported, attach a brief explanation to describe cause and corrective actions taken, and reference each violation by date.
11. If "*no discharge*" occurs during monitoring period, enter "No Discharge" across form in place of data entry.
12. Enter "*Name/Title of Principal Executive Officer*" with "*Signature of Principal Officer of Authorized Agent*," "*Telephone Number*," and "*Date*" at bottom of form.
13. Mail signed Report to Office(s) by date(s) specified in permit. Retain copy for your records.
14. More detailed instructions for use of this *Discharge Monitoring Report (DMR)* form may be obtained from Office(s) specified in permit.

Legal Notice

This report is required by law (33 U.S.C. 1318; 40 C.F.R. 125.27). Failure to report or failure to report truthfully can result in civil penalties not to exceed \$10,000 per day of violation; or in criminal penalties not to exceed \$25,000 per day of violation, or by imprisonment for not more than one year, or by both.

PERMITTEE NAME/ADDRESS (Include Facility Name/Location if Different)

NATIONAL POLLUTANT DISCHARGE ELIMINATION SYSTEM (NPDES)

Form Approved

OMB No. 2040-0004

DISCHARGE MONITORING REPORT (DMR)

NAME Metropolitan Water Reclamation District
of Greater Chicago

ADDRESS 100 East Erie Street
Chicago, Illinois 60611

FACILITY Hanover Park Water Reclamation Plant
Fischer Farm Site

LOCATION 1220 Sycamore Avenue
Hanover Park, Illinois 60133


2022-SC-66896 Special Condition 4
PERMIT NUMBER

DISCHARGE NUMBER

MONITORING PERIOD						
YEAR	MO	DAY		YEAR	MO	DAY
2025	01	01	FROM	2025	03	31
			TO			

NOTE: Read instructions before

PARAMETER		QUANTITY OR LOADING			QUALITY OR CONCENTRATION				NO. EX	FREQUENCY OF ANALYSIS	SAMPLE TYPE
		AVERAGE	MAXIMUM	UNITS	MINIMUM	AVERAGE	MAXIMUM	UNITS			
No Application	SAMPLE	No Application	No Application		No Application	No Application	No Application			No Application	
	PERMIT REQUIREMENT										
	SAMPLE										
	PERMIT REQUIREMENT										
	SAMPLE										
	PERMIT REQUIREMENT										
	SAMPLE										
	PERMIT REQUIREMENT										
	SAMPLE										
	PERMIT REQUIREMENT										
	SAMPLE										
	PERMIT REQUIREMENT										
	SAMPLE										
	PERMIT REQUIREMENT										
	SAMPLE										
	PERMIT REQUIREMENT										

NAME/TITLE PRINCIPAL EXECUTIVE OFFICER	I certify under penalty of law that this document and all attachments were prepared under my direction or supervision in accordance with a system designed to assure that qualified personnel properly gather and evaluate the information submitted. Based on my inquiry of the person or persons who manage the system, or those persons directly responsible for gathering the information, the information submitted is, to the best of my knowledge and belief, true, accurate, and complete. I am aware that there are significant penalties for submitting false information, including the possibility of fine and imprisonment for knowing violations.		TELEPHONE		DATE		
Albert Cox			708	588-4068	2025	04	21
TYPED OR PRINTED			AREA	NUMBER	YEAR	MO	DAY

COMMENT AND EXPLANATION OF ANY VIOLATIONS (Reference all attachments here)

No lagoon supernatant or biosolids were applied to the site during the monitoring period. Therefore, there is no analytical data to report.