


Protecting Our Water Environment



Metropolitan Water Reclamation District of Greater Chicago

***RESEARCH AND DEVELOPMENT
DEPARTMENT***

REPORT NO. 07-70

EGAN SOLIDS MANAGEMENT AREA MONITORING

REPORT FOR THIRD QUARTER 2007

NOVEMBER 2007

Metropolitan Water Reclamation District of Greater Chicago

100 EAST ERIE STREET CHICAGO, ILLINOIS 60611-3154 312-751-5600

Louis Kollias, P.E., BCEE
Director of Research and Development
312-751-5190

November 28, 2007

Mr. S. Alan Keller
Manager, Permit Section
Illinois Environmental
Protection Agency
1021 North Grand Avenue East
P.O. Box 19276
Springfield, IL 62794-9276

Dear Mr. Keller:

Subject: John E. Egan WRP – Solids Management Area Contract No. 83-444-2P, C175399, IEPA Permit Nos. 2005-AO-4282, 2002-AO-0387, and 2002-AO-0387-1, Monitoring Report for July, August, and September 2007

Supplemental Permit 2002-AO-0387-1 was issued on June 12, 2003. It granted the discontinuation of monitoring the groundwater using lysimeters on the north and south periphery of the solids drying site of the John E. Egan WRP solids drying area, as previously required under Special Condition 1 (3) of the original permit. Consequently, no groundwater monitoring samples were collected during this reporting period.

No biosolids were placed in or removed from the drying area in July, August, and September 2007.

Very truly yours,

Louis Kollias
Director
Research and Development

LK:AC:spy
cc: Sulski (IEPA)
Records Unit (IEPA)
Quintanilla/Sharma/Stuba
Granato/O'Connor
Cox/Lindo/Patel