


*Protecting Our Water Environment*



*Metropolitan Water Reclamation District of Greater Chicago*

***RESEARCH AND DEVELOPMENT  
DEPARTMENT***

*REPORT NO. 08-12*

*EGAN SOLIDS MANAGEMENT AREA MONITORING*

*REPORT FOR FOURTH QUARTER 2007*

*February 2008*

**Metropolitan Water Reclamation District of Greater Chicago**

100 EAST ERIE STREET CHICAGO, ILLINOIS 60611-3154 312-751-5600

Louis Kollias, P.E., BCEE  
*Director of Research and Development*  
312-751-5190

February 28, 2008

Mr. S. Alan Keller  
Manager, Permit Section  
Illinois Environmental  
Protection Agency  
1021 North Grand Avenue East  
P.O. Box 19276  
Springfield, IL 62794-9276

Dear Mr. Keller:

Subject: John E. Egan WRP – Solids Management Area Contract No. 83-444-2P, C175399, IEPA Permit Nos. 2005-AO-4282, 2002-AO-0387, and 2002-AO-0387-1, Monitoring Report for October, November, and December 2007

Supplemental Permit 2002-AO-0387-1 was issued on June 12, 2003. It granted the discontinuation of monitoring the groundwater using lysimeters on the north and south periphery of the solids drying site of the John E. Egan WRP solids drying area, as previously required under Special Condition 1 (3) of the original permit. Consequently, no groundwater monitoring samples were collected during this reporting period.

No biosolids were placed in or removed from the drying area in October, November, and December 2007.

Very truly yours,

Louis Kollias  
Director  
Research and Development

LK:TCG:AC:spy  
cc: Sulski (IEPA)  
Records Unit (IEPA)  
Quintanilla/Sharma/Stuba  
Granato/O'Connor  
Cox/Lindo/Patel